

| AHSAA Homeschool Student Eligibility Exams<br>Geometry |   |                                |
|--|---|--------------------------------|
| Standard<br>Reference                                  | Standard Text   | Percentage<br>of Test<br>Items |
| G  | Geometry  |                                |
| G-CO   | Congruence  | 29%                            |
|  | Experiment with transformations in the plane  |                                |
| G-CO.1   | Know precise definitions of angle, circle, perpendicular line, parallel line,<br>and line segment, based on the undefined notions of point, line, distance<br>along a line, and distance around a circular arc. [G-CO1]   |                                |
|  | Represent transformations in the plane using, e.g., transparencies and<br>geometry software; describe transformations as functions that take<br>points in the plane as inputs and give other points as outputs. Compare<br>transformations that preserve distance and angle to those that do not  |                                |
| G-CO.2   | (e.g., translation versus horizontal stretch). [G-CO2]<br>Given a rectangle, parallelogram, trapezoid, or regular polygon, describe<br>the rotations and reflections that carry it onto itself. [G-CO3]   |                                |
| G-CO.3<br>G-CO.4                                       | Develop definitions of rotations, reflections, and translations in terms of<br>angles, circles, perpendicular lines, parallel lines, and line segments. [G-<br>CO4]   |                                |
| G-CO.5   | Given a geometric figure and a rotation, reflection, or translation, draw<br>the transformed figure using, e.g., graph paper, tracing paper, or<br>geometry software. Specify a sequence of transformations that will carry<br>a given figure onto another. [G-CO5]   |                                |
|  | Understand congruence in terms of rigid motions. (Build on rigid motions as a familiar starting point for development of concept of geometric proof.)   |                                |
| G-CO.6   | Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent. [G-CO6]  |                                |
| G-CO.7   | Use the definition of congruence in terms of rigid motions to show that<br>two triangles are congruent if and only if corresponding pairs of sides and<br>corresponding pairs of angles are congruent. [G-CO7]  |                                |
| G-CO.8   | Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions. [G-CO8]  |                                |
|  | Prove geometric theorems. ( <i>Focus on validity of underlying reasoning while using variety of ways of writing proofs</i> .)   |                                |
| 6-00 9   | Prove theorems about lines and angles. Theorems include vertical angles<br>are congruent; when a transversal crosses parallel lines, alternate interior<br>angles are congruent and corresponding angles are congruent; and points<br>on a perpendicular bisector of a line segment are exactly those equidistant<br>from the segment's endpoints [G-CO9] |                                |
| G-CO.9   | from the segment's endpoints. [G-CO9]   |                                |



| Standard<br>Reference | Standard Text  | Percentage<br>of Test<br>Items |
|-----------------------|--|--------------------------------|
|                       | Prove theorems about triangles. Theorems include measures of interior<br>angles of a triangle sum to 180°, base angles of isosceles triangles are<br>congruent, the segment joining midpoints of two sides of a triangle is<br>parallel to the third side and half the length, and the medians of a triangle   |                                |
| G-CO.10               | <i>meet at a point.</i> [G-CO10]<br>Prove theorems about parallelograms. <i>Theorems include opposite sides</i>  |                                |
| G-CO.11               | are congruent, opposite angles are congruent; the diagonals of a<br>parallelogram bisect each other; and conversely, rectangles are<br>parallelograms with congruent diagonals. [G-CO11]   |                                |
| 0 00111               | Make geometric constructions. ( <i>Formalize and explain processes</i> .)  |                                |
|                       | Make formal geometric constructions with a variety of tools and methods<br>(compass and straightedge, string, reflective devices, paper folding,<br>dynamic geometric software, etc.). <i>Constructions include copying a</i><br><i>segment; copying an angle; bisecting a segment; bisecting an angle;</i><br><i>constructing perpendicular lines, including the perpendicular bisector of a</i><br><i>line segment; and constructing a line parallel to a given line through a</i> |                                |
| G-CO.12               | point not on the line. [G-CO12]  |                                |
| G-CO.13               | Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle. [G-CO13]   |                                |
| G-SRT                 | Similarity, Right Triangles, and Trigonometry  | 25%                            |
|                       | Understand similarity in terms of similarity transformations   |                                |
| G-SRT.14              | Verify experimentally the properties of dilations given by a center and a scale factor. [G-SRT1]   |                                |
| G-SRT.14.a            | A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged. [G-SRT1a]   |                                |
| G-SRT.14.b            | The dilation of a line segment is longer or shorter in the ratio given by the scale factor. [G-SRT1b]  |                                |
|                       | Given two figures, use the definition of similarity in terms of similarity<br>transformations to decide if they are similar; explain using similarity<br>transformations the meaning of similarity for triangles as the equality of<br>all corresponding pairs of angles and the proportionality of all  |                                |
| G-SRT.15              | corresponding pairs of sides. [G-SRT2] **See Example in Course of Study  |                                |
| G-SRT.16              | Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar. [G-SRT3]   |                                |
|                       | Prove theorems involving similarity  |                                |
|                       | Prove theorems about triangles. <i>Theorems include a line parallel to one side of a triangle divides the other two proportionally, and conversely; and</i>  |                                |
| G-SRT.17              | the Pythagorean Theorem proved using triangle similarity. [G-SRT4]<br>Use congruence and similarity criteria for triangles to solve problems and   |                                |
| G-SRT.18              | to prove relationships in geometric figures. [G-SRT5]  |                                |



| Standard<br>Reference | Standard Text  | Percentage<br>of Test<br>Items |
|-----------------------|--|--------------------------------|
|                       | Define trigonometric ratios and solve problems involving right triangles             |                                |
|                       | Understand that by similarity, side ratios in right triangles are properties         |                                |
|                       | of the angles in the triangle, leading to definitions of trigonometric ratios        |                                |
| G-SRT.19              | for acute angles. [G-SRT6]   |                                |
|                       | Explain and use the relationship between the sine and cosine of                      |                                |
| G-SRT.20              | complementary angles. [G-SRT7]   |                                |
|                       | Use trigonometric ratios and the Pythagorean Theorem to solve right                  |                                |
| G-SRT.21              | triangles in applied problems.* [G-SRT8]   |                                |
|                       | Apply trigonometry to general triangles  |                                |
| G-SRT.22              | (+) Prove the Laws of Sines and Cosines and use them to solve problems.<br>[G-SRT10] |                                |
|                       | (+) Understand and apply the Law of Sines and the Law of Cosines to find             |                                |
|                       | unknown measurements in right and non-right triangles (e.g., surveying               |                                |
| G-SRT.23              | problems, resultant forces). [G-SRT11]   |                                |
|                       | Circles and Expressing Geometric Properties with Equations                           | 23%                            |
| G-C                   | Circles  |                                |
|                       | Understand and apply theorems about circles  |                                |
| G-C.24                | Prove that all circles are similar. [G-C1]   |                                |
|                       | Identify and describe <i>relationships</i> among inscribed angles, radii, and        |                                |
|                       | chords. Include the relationship between central, inscribed, and                     |                                |
|                       | circumscribed angles; inscribed angles on a diameter are right angles; the           |                                |
|                       | radius of a circle is perpendicular to the tangent where the radius                  |                                |
| G-C.25                | intersects the circle. [G-C2]  |                                |
|                       | Construct the inscribed and circumscribed circles of a triangle, and prove           |                                |
| G-C.26                | properties of angles for a quadrilateral inscribed in a circle. [G-C3]               |                                |
|                       | (+) Construct a tangent line from a point outside a given circle to the              |                                |
| G-C.27                | circle. [G-C4]   |                                |
|                       | Find arc lengths and areas of sectors of circles. (Radian introduced only as         |                                |
|                       | unit of measure.)  |                                |
|                       | Derive using similarity the fact that the length of the arc intercepted by an        |                                |
|                       | angle is proportional to the radius, and define the radian measure of the            |                                |
|                       | angle as the constant of proportionality; derive the formula for the area            |                                |
| G-C.28                | of a sector. [G-C5]  |                                |
| G-GPE                 | Expressing Geometric Properties with Equations                                       |                                |
|                       | Translate between the geometric description and the equation for a conic section     |                                |
|                       | Derive the equation of a circle of given center and radius using the                 |                                |
|                       | Pythagorean Theorem; complete the square to find the center and radius               |                                |
| G-GPE.29              | of a circle given by an equation. [G-GPE1]   |                                |



| Standard<br>Reference | Standard Text  | Percentage<br>of Test<br>Items |
|-----------------------|--|--------------------------------|
|                       | Use coordinates to prove simple geometric theorems algebraically.<br>(Include distance formula; relate to Pythagorean Theorem.)  |                                |
|                       | Use coordinates to prove simple geometric theorems algebraically. [G-GPE4]<br>Example: Prove or disprove that a figure defined by four given points in   |                                |
|                       | the coordinate plane is a rectangle; prove or disprove that the point (1, the square root of 3) lies on the circle centered at the origin and  |                                |
| G-GPE.30              | containing the point (0, 2).<br>Prove the slope criteria for parallel and perpendicular lines and use them<br>to solve geometric problems (e.g., find the equation of a line parallel or   |                                |
| G-GPE.31              | perpendicular to a given line that passes through a given point). [G-GPE5]<br>Find the point on a directed line segment between two given points that  |                                |
| G-GPE.32              | partitions the segment in a given ratio. [G-GPE6]<br>Use coordinates to compute perimeters of polygons and areas of triangles  |                                |
| G-GPE.33              | and rectangles, e.g., using the distance formula. * [G-GPE7]<br>Use coordinates to prove simple geometric theorems algebraically.  |                                |
| G-GPE.34              | Determine areas and perimeters of regular polygons, including inscribed<br>or circumscribed polygons, given the coordinates of vertices or other<br>characteristics.   |                                |
|                       | Geometric Measurement and Dimension and Modeling with Geometry   | 13%                            |
| G-GMD                 | Geometric Measurement and Dimension  |                                |
|                       | Explain volume formulas and use them to solve problems   |                                |
| G-GMD.35              | Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone. Use dissection arguments, Cavalieri's principle, and informal limit arguments. [G-GMD1] |                                |
| G-GMD.36              | Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems.* [G-GMD3]   |                                |
| G-GMD.37              | Determine the relationship between surface areas of similar figures and volumes of similar figures.  |                                |
|                       | Visualize relationships between two-dimensional and three-dimensional objects  |                                |
| G-GMD.38              | Identify the shapes of two-dimensional cross-sections of three-<br>dimensional objects, and identify three-dimensional objects generated by<br>rotations of two-dimensional objects. [G-GMD4]                                    |                                |
| G-MG                  | Modeling with Geometry   |                                |
|                       | Apply geometric concepts in modeling situations  |                                |
| G-MG.39               | Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder).* [G-MG1]  |                                |



| Standard<br>Reference | Standard Text   | Percentage<br>of Test<br>Items |
|-----------------------|---|--------------------------------|
| G-MG.40               | Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot). * [G-MG2]   |                                |
| G-MG.41               | Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).* [G-MG3] |                                |
| S                     | Statistics and Probability  | 10%                            |
| S-MD                  | Using Probability to Make Decisions   |                                |
|                       | Use probability to evaluate outcomes of decisions. ( <i>Introductory; apply counting rules</i> .)   |                                |
| S-MD.42               | (+) Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator). [S-MD6]  |                                |
|                       | (+) Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a  |                                |
| S-MD.43               | game).**See Example in Course of Study  |                                |